

# LA GARD 700 Series

We make access in life smart and secure.



# 700 Series

## Model 700 Basic Specs



**Model: 700 Basic**

OLED Display Keypad	No	Combination Length	6 Digits
Compatible Lock Types	Swingbolt/Deadbolt	Back Lit Keypad	Yes
# of Users	1 Manager/1 User	Bolt Switch Option*	No
# of Locks	1	Wrong Try Penalty	Yes
Super Master Reset Code	Yes	Battery Power	2x 9V
Dual-User Mode	No	Low Battery Warning	Yes
Dual-User Mode Override	No	Critical Low Battery Warning	Yes
Reset Function	Yes	AC Power Option	Yes
Time Delay	No	Low-Profile Keypad	No
Confirmation Window	No	Time Lock Schedule	No
Time Delay Override (TDO)	No	Dual Credential	No
TDO with BLE FOB	No	UL 2058 – UL Type 1	Yes
Programmable @ Keypad	Yes	VdS 2396 – Class 2	Yes
Programmable @ PC	No	EN1300 – Level B	Yes
Audit Events	No	SBSC – 3880:2015	Yes
Viewable Audit Trail	No	CNPP a2p – Level B/E	Yes
Downloadable Audit Trail	No	Warranty	2 yr from DOM
Duress Alarm	No	Updatable Firmware	Yes

# 700 Series

## Models 702-705 Specs



	<b>Model 702/702D</b> Multi-user lock standard keypad	<b>Model 703/703B</b> Multi-user, 2-lock system, display	<b>Model 704/704B</b> Multi-user, 5-lock system, display	<b>Model 705</b> Multi-user, 5-lock system, display
<b>OLED Display Keypad</b>	No/Yes (702D)	Yes	Yes	Yes
<b>Compatible Lock Types</b>	Swing/Dead/Spring Bolt/ Redundant Lock	Swing/Dead/Spring Bolt/ Redundant Lock	Swing/Dead/Spring Bolt/ Redundant Lock	Swing/Dead/Spring Bolt/ Redundant Lock
<b># of Users</b>	1 Master/ 1 Manager/ 28 Users	1 Master/ 1 Manager/ 28 Users	1 Master/ 2 Managers/ 47 Users	1 Master/ 2 Managers/ 97 Users
<b># of Locks</b>	1	2	5	5
<b>Dual-User Mode</b>	Yes	Yes	Yes	Yes
<b>Dual-User Mode Override</b>	Yes	Yes	Yes	Yes
<b>Reset Function</b>	Yes	Yes	Yes	Yes
<b>Time Delay</b>	0-99 min	0-99 min	0-99 min	0-99 min
<b>Confirmation Window</b>	1-60 min	1-60 min	1-60 min	1-60 min
<b>Time Delay Override (TDO)</b>	Yes	Yes	Yes	Yes
<b>TDO with BLE Key Fob</b>	No	No	No	Yes
<b>Programmable at Keypad</b>	Yes	Yes	Yes	Yes
<b>Programmable by PC</b>	Yes	Yes	Yes	Yes
<b>Audit Events</b>	500	500	2000	6000
<b>Viewable Audit Trail</b>	No/Yes (702D)	Yes	Yes	Yes
<b>Downloadable Audit Trail</b>	Yes	Yes	Yes	Yes
<b>Duress Alarm</b>	Yes	Yes	Yes	Yes
<b>Combination Length</b>	6-9 digits + 2-digit ID	6-9 digits + 2-digit ID	6-9 digits + 2-digit ID	6-9 digits + 2-digit ID
<b>Back Lit Keypad</b>	Yes	Yes	Yes	Yes
<b>Bolt Switch Option**</b>	Yes	Yes	Yes	Yes
<b>Wrong Try Penalty</b>	Yes	Yes	Yes	Yes
<b>Battery Power</b>	2 x 9V	2 x 9V	2 x 9V	2 x 9V
<b>Low-Profile Option</b>	Yes	Yes	Yes	No
<b>AC Power Option*</b>	Yes	Yes	Yes	Yes
<b>VdS 2396 — Class 2</b>	Yes	Yes	Yes	No
<b>UL 2058 —UL Type 1</b>	Yes	Yes	Yes	Yes
<b>EN1300—Level B</b>	Yes	Yes	Yes	No
<b>SBSC—3880:2015</b>	Yes	Yes	Yes	No
<b>CNPP a2p—Level B/E</b>	Yes	Yes	Yes	No
<b>Time Lock Schedule</b>	No	No	Yes	Yes
<b>Dual Credential</b>	No	No/Yes (703B)	No/Yes (704B)	Yes
<b>Warranty</b>	2yr from DoM	2yr from DoM	2yr from DoM	2yr from DoM
<b>Updatable Firmware</b>	Yes	Yes	Yes	Yes

\*\* Reference FAQ #33